

TT-700



TT-700 Coating thickness gauge



Features

The new, ergonomically shaped handheld TT-700 Ultrasonic Wall thickness gauge offers big performance in a small light-weight package. Its biggest advantage is the measuring range from 0.15 up to 20mm (steel plates) which makes it suitable where other thickness gauges are out of range.

The operator keypad interface is user-friendly and has a central Mode key, a calibration key, three function arrow keys to activate and set functional control and navigate through the menu plus a key to store/transfer data. It has an integrated steel calibration plate and the display resolution can be switched from 0.001 to 0.01mm. If you need to document your measuring results, they can be printed or transferred to a PC.


- Especially suitable for testing thin workpieces
- I-E testing mode and E-E testing mode
- Sound velocity testing and single point calibration
- Sound alarm and differential mode are available
- Mm/inch selectable
- Data store, view and delete
- Results can be print out and transfer to PC

Technical specifications

Measuring range	0.15mm ~ 20mm (1mm ϕ 5mm steel pipes)
Display resolution	0.001mm and 0.01mm selectable
Sound velocity range	1000m/s ~ 9999m/s
Operating temperature	0~40°C
Dimensions	152mm x 74mm x 35mm
Weight	220gr
Power supply	2pcs AA batteries

Standard delivery

- Instrument
- Transducer 15P ϕ 6
- Screw driver
- Protection cover
- AA battery (2 pcs)
- Couplant
- Manual
- INNOVATEST® certificate
- Carrying case



Optional accessories

- Communication cable
- Standard test block
- 20MHz transducer
- TA-230 printer

Order details

TT-700 Coating wall thickness gauge with external transducer especially suitable for thin workpieces

Kapcsolat, bővebb információ:



Sidex Trade Kft.

1224 Budapest, Dózsa György út 105.
TT Ipartelep (volt Mechanikai Művek)
Tel : (+36-1) 424-1705, Mobil: (+36-30) 9349-611
Fax :(+36-1) 424-1704
Web: <http://www.sidex.hu> – E-mail: info@sidex.hu

CORPORATE HEAD OFFICE

INNOVATEST Europe BV
mANuFACTuRING, DISTRIBuTION & SERVICE
Borgharenweg 140
6222 AA Maastricht (The Netherlands)
Phone: +31 43 3520060
Fax: +31 43 3631168
E-mail: info@innovatest-europe.com
Website: www.innovatest-europe.com

BRANCHE OFFICES

INNOVATEST Benelux BVBA
SAIES & SERVICE
Phone: +32 12 779002
Fax: +32 12 779003
E-mail: info@innovatest-benelux.com
Website: www.innovatest-europe.com

INNOVATEST Shanghai Co., Ltd.
ASIA & CHINA SAIES & SERVICE
Building 2, No.123, 1165 Nong Jindu Road,
South Metropolis Industrial Park
Minhang District, Shanghai, P.R. China
Zip code: 201108
E-mail: info@innovatest-shanghai.com
Website: www.innovatest-shanghai.com

Changes in products and/or product specifications can emerge due to new technologies and continuous development.

We reserve the right to change or modify specifications of products without prior notice.

We recommend you to contact our sales office for up-to-date information.

© All rights reserved