

TV-200



TV-200
Vibration pen



Features

- Machinery checker for predictive maintenance of production machinery
- For quick checking of unbalance, misalignment, bearings and gears
- Holds value after each test
- Handy, battery operated instrument
- Large frequency range
- Automatic switch-off after 40 seconds
- Low battery voltage indication

Technical specifications

| | |
|-----------------------|--|
| Measurement range | RMS vibration velocity 0.1mm/s to 199.9mm/s |
| Frequency range | 10Hz to 1kHz |
| Display | 4 digit LCD display Hold value of last reading |
| Accelerometer | Integrated |
| Power supply | 1.5V button cell batteries (2 pcs) Auto shut-off after 40 seconds |
| Battery capacity | Approx. 5 hours continuously |
| Operating temperature | 0°C to 40°C, < 85% RH |
| Dimensions | 150mm x 22mm x 18mm |
| Weight | Approx. 55gr including batteries |

Standard delivery

- Instrument
- Small pocket bag
- Batteries SR44 (2 pcs)
- Manual
- INNOVATEST® certificate

Order details

TV-200 Pen type vibration tester

Kapcsolat, bővebb információ:



Sidex Trade Kft.

1224 Budapest, Dózsa György út 105.
TT Ipartelep (volt Mechanikai Művek)
Tel : (+36-1) 424-1705, Mobil: (+36-30) 9349-611
Fax :(+36-1) 424-1704
Web: <http://www.sidex.hu> – E-mail: info@sidex.hu

CORPORATE HEAD OFFICE

INNOVATEST Europe BV
mANuFACTuRING, DISTRIBuTION & SERVICE
Borgharenweg 140
6222 AA Maastricht (The Netherlands)
Phone: +31 43 3520060
Fax: +31 43 3631168
E-mail: info@innovatest-europe.com
Website: www.innovatest-europe.com

BRANCHE OFFICES

INNOVATEST Benelux BVBA
SAIES & SERVICE
Phone: +32 12 779002
Fax: +32 12 779003
E-mail: info@innovatest-benelux.com
Website: www.innovatest-europe.com

INNOVATEST Shanghai Co., Ltd.
ASIA & CHINA SAIES & SERVICE
Building 2, No.123, 1165 Nong Jindu Road,
South Metropolis Industrial Park
Minhang District, Shanghai, P.R. China
Zip code: 201108
E-mail: info@innovatest-shanghai.com
Website: www.innovatest-shanghai.com

Changes in products and/or product specifications can emerge due to new technologies and continuous development.

We reserve the right to change or modify specifications of products without prior notice.

We recommend you to contact our sales office for up-to-date information.

© All rights reserved